Tel: +1 (800) 421-4149, Fax: +1 (510) 824-1490,

support@biogenex.com

# DATA SHEET Hsa-miR-1296 fluoresceinated oligo probe

**Catalog No. HM1296-100** 

## **Description**

One vial of 0.650 ml of probe in hybridization buffer

# Analyte Specific Reagent. Analytical and performance characteristics are not established.

Doc. No. 932-HM1296-100

Rev. C

Date of release: 19-Aug-2020

#### **Description**

The Hsa-miR-1296 probe has been designed from mature human miR-1296 sequence. This fluoresceinated probe is provided in a hybridization buffer for localization of miRNA in FFPE tissue by *In Situ* hybridization.

#### **Specifications**

The Hsa-miR-1296 identifies mature miR-1296 sequences in formalin-fixed, paraffin-embedded human tissues and/or freshly prepared frozen tissues by *in situ* hybridization. This probe does not react with normal human mRNA or nuclear DNA present in tissues.

#### **Storage and Handling**

Store the reagent at 2-8 °C. Do not freeze. Do not use the reagent after expiration date on vial. The reagent must be brought to room temperature before use. (Important! The presence of precipitates induces background staining).

#### **Precautions**:

For professional use. The probe contains formamide. Formamide is classified as a teratogen. Pregnant workers should keep exposure to a minimum. Avoid inhalation, ingestion, and contact with unprotected skin. If skin contact occurs, wash thoroughly with soap and water. For more information, refer to the Material Safety Data Sheet, which is available upon request.

## **Quality Control**

Each lot of this miRNA probe is tested by *In Situ* hybridization for Quality Control purposes. Refer to the BioGenex Quality Control Testing Conditions table for additional information.

#### References

1. Majid S, Dar AA, Saini S, Chen Y, Shahryari V, Liu J, Zaman MS, Hirata H, Yamamura S, Ueno K, Tanaka Y, Dahiya R. Regulation of minichromosome maintenance gene family by microRNA-1296 and genistein in prostate cancer. Cancer Res. 2010 Apr 1;70(7):2809-18

### **BioGenex Quality Control Testing Conditions**

Parameter	Conditions used
Control Tissue	Testis (FB-HM1296)
Tissue Type	Formalin-fixed, paraffin-embedded cancer tissues